

## Semmering Basistunnel SBT Los 2.1



### SHORT DESCRIPTION

The planned Semmering Base Tunnel (SBT) is currently one of the most important large-scale infrastructure projects in the heart of Europe, and forms part of the new Austrian southern railway, a central axis on the trans-European route from the Baltic to the Adriatic. With an overall length of 27.3 km, the SBT links Lower Austria with Steiermark. Österreichische Bundesbahn [Austrian Railways] has appointed Implenia as part of a consortium with Swietelsky for the construction of central Lot 2.1, a section about 13 km in length.

### THE PROJECT

Starting with two shafts at Fröschnitzgraben, this central section of the SBT, comprising two single-track tunnel tubes, will be excavated in the Mürzzuschlag direction using excavators and blasting (approx. 4.3 km) and in the Gloggnitz direction using two TBMs [tunnel-boring machines] (approx. 8.6 km). These two shafts have been constructed by blasting down to a depth of up to 400 metres and have diameters of 11 m and 8.5 m respectively. The TBM operation, downhill in the Gloggnitz direction, is being performed by two single-blade TBMs ( $\varnothing = 10,17$  m) and the final stage of construction will comprise reinforced tubbing sections with an internal diameter of 9.2 m. These two tunnel tubes will be interconnected by 26 cross-passages.

On completion of the construction work, these starting shafts will be used as ventilation shafts, and extended to create an emergency stopping point about 1 km in length. At surface level in Fröschnitzgraben, an operations and ventilation building will be constructed.

## CHALLENGES

A major challenge lies in the supply of materials to the construction site, and in the confined conditions below ground. The removal of excavated material through the two shafts at Fröschnitzgraben constitutes another such challenge. The excavated material will be taken to the nearby landfill site of Longsgraben using a conveyor belt system.

## FURTHER INFORMATION

### Implenia at the construction site

Implenia Schweiz AG,  
Fröschnitz 25A  
8685 Steinhaus a. Semmering

### Task

Technical management  
Share in consortium 50%

### Services delivered

Tunnel construction

### Construction method

- Fröschnitz shafts 1 and 2
- Blasting, D = 400 m, Øi = 11 and 8.5 m
- TBM operations
- Single-blade TBM, L = 2 x 8.6 km, Ø = 10.17 m, A = 81.2 m<sup>2</sup>, Reinforced tubbing construction, 5+1, Øi = 9.2 m, d = 0.3 m, L = 2 m
- Site-mixed concrete inner shell
- Excavation and blasting operation L = 2 x 4.3 km, Ø = 10 m, A = 78.5 m<sup>2</sup>, Two-shell cladding with shotcrete outer shell and site-mixed concrete inner shell
- Landfill site - earthworks
- Handling of 4.4 mill. m<sup>3</sup> in conjunction with excavated earth and construction residue

### Geology

Phyllite, gneiss, slate

## FACTS

<b>Location</b>	Steiermark , Austria
<b>Status</b>	Under construction
<b>Construction volume (value of our services)</b>	623 M EUR
<b>Start of construction</b>	January 2014
<b>Completion</b>	January 2024

<b>Project management</b>	Bauherr: Österreichische Bundesbahn ÖBB; Ingenieur: Baumanagement iC, IGT, Vigl Consult ÖBA ILF, 3G, Tecton; ARGE: ARGE Tunnel Frörschnitzgraben;
<b>Length</b>	12900 m
<b>Cross-sectional area</b>	81 m <sup>2</sup>

## SERVICES

---

Tunnelling



---

<https://implenia.com/en/references/detail/ref/semmering-base-tunnel-sbt-lot-21/>

Creation: 20.05.2026 11:43